



**Architectural Review Board Application
Full Board Review**

Application Date: 08-25-2021

Project Address: 823 N. Baylen St.

Applicant: Dalrymple Sallis Architecture

Applicant's Address: 503 E. Government Street, Pensacola, Florida 32502

Email: scott@dalsal.com Phone: 850-470-6399

Property Owner: Jan and Terry O'Rourke

(If different from Applicant)

District: PHD NHPD OEHPD PHBD GCD

Application is hereby made for the project as described herein:

- Residential Homestead – \$50.00 hearing fee
- Commercial/Other Residential – \$250.00 hearing fee

** An application shall be scheduled to be heard once all required materials have been submitted and it is deemed complete by the Secretary to the Board. You will need to include eleven (11) copies of the required information. Please see pages 3 – 4 of this application for further instruction and information.*

Project specifications/description:

Exterior landscape improvements of an existing residence in the North Hill Historic District. The project will include an addition of a new pool surrounded by concrete pavers and a retaining wall. The site will be surrounded in its entirety by a powder coated aluminum fence, which will match the existing fence present on the site. Wood frame pergolas will be constructed behind the existing retaining wall. A new concrete driveway will lead to the existing two story, three car garage, which will become a one car garage with new siding, windows and doors added to infill and match existing.

I, the undersigned applicant, understand that payment of these fees does not entitle me to approval and that no refund of these fees will be made. I have reviewed the applicable zoning requirements and understand that I must be present on the date of the Architectural Review Board meeting.

08/25/2021

Applicant Signature

Date

O'Rourke Exterior

EXTERIOR LANDSCAPE IMPROVEMENTS FOR AN EXISTING 2 STORY HOME AND ACESSORY STRUCTURE


823 North Baylen Street, Pensacola, FL



VICINITY MAP



SITE MAP



FEMA FLOOD MAP



| INDEX OF DRAWINGS | | | |
|-------------------|--------------|--------------------------------|--------|
| Discipline | Sheet Number | Sheet Title | Rev. # |
| General | G001 | TITLE SHEET | |
| Architectural | A001 | SITE PLAN | |
| 05 Architectural | A101 | ENLARGED GARAGE PLAN | |
| 05 Architectural | A102 | ENLARGED PERGOLA AND POOL PLAN | |
| 05 Architectural | A201 | GARAGE ELEVATIONS AND SECTIONS | |
| 05 Architectural | A302 | LANDSCAPE SECTIONS | |
| 05 Architectural | A701 | 3D EXTERIOR PERSPECTIVE VIEWS | |

BUILDING DATA

APPLICABLE CODES:
2020 FLORIDA BUILDING CODE, RESIDENTIAL
FLORIDA FIRE PREVENTION CODE, 7th EDITION

CONSTRUCTION TYPE:
TYPE VB, UNPROTECTED, UNSPRINKLERED

OCCUPANCY CLASSIFICATION:
RESIDENTIAL (R-3) - SINGLE FAMILY DWELLING UNIT

ZONED: PR-2

FLOOD ZONE: X

PHYSICAL PROPERTIES:
BUILDING HEIGHT: 27'-10"
NO. OF STORIES: 2

GENERAL NOTES

- TO THE BEST OF OUR KNOWLEDGE, THESE DRAWINGS COMPLY WITH THE APPLICABLE REQUIREMENTS OF THE FLORIDA BUILDING CODE, 2020 EDITION.
- CONTRACTOR TO COMPLY WITH REQUIREMENTS OF THE FLORIDA BUILDING CODE, AND ALL OTHER APPLICABLE FEDERAL, STATE AND LOCAL CODES, STANDARDS, REGULATIONS AND LAWS.
- ALL REFERENCED STANDARDS REFER TO THE EDITION IN FORCE AT THE TIME THESE ARE ISSUED.
- CONTRACTOR TO REVIEW ALL CONTRACT DOCUMENTS, DIMENSIONS AND SITE CONDITIONS AND COORDINATE WITH FIELD DIMENSIONS AND PROJECT SHOP DRAWINGS PRIOR TO CONSTRUCTION. REPORT ANY DISCREPANCIES IN WRITING TO ARCHITECT. DO NOT CHANGE SIZE OR DIMENSIONS OF STRUCTURAL MEMBERS WITHOUT WRITTEN INSTRUCTIONS FROM THE ARCHITECT OF RECORD.
- ANY DISCREPANCIES, OMISSIONS OR VARIATIONS NOTED IN THE CONSTRUCTION DOCUMENTS OR DISCOVERED DURING CONSTRUCTION SHALL BE IMMEDIATELY COMMUNICATED IN WRITING TO THE ARCHITECT FOR HIS REVIEW. CONTRACTOR SHALL BE RESPONSIBLE FOR ALL ASSUMPTIONS OF CONSTRUCTION DOCUMENTS NOT VERIFIED IN WRITING BY THE ARCHITECT OF RECORD.
- PROTECT EXISTING FACILITIES, STRUCTURES AND UTILITY LINES FROM ALL DAMAGE. EACH CONTRACTOR SHALL PROTECT HIS WORK, ADJACENT PROPERTY AND THE PUBLIC. EACH CONTRACTOR IS SOLELY RESPONSIBLE FOR DAMAGE OR INJURY DUE TO HIS ACT OR NEGLIGENCE.
- THE CONTRACTOR IS SOLELY RESPONSIBLE FOR JOB SAFETY AND CONSTRUCTION PROCEDURES.
- DO NOT SCALE DRAWINGS; USE DIMENSIONS.
- DETAILS LABELED "TYPICAL DETAILS" ON THE DRAWINGS APPLY TO ALL SITUATIONS THAT ARE THE SAME OR SIMILAR TO THOSE SPECIFICALLY DETAILED. SUCH DETAILS APPLY WHETHER OR NOT THEY ARE KEYPED IN AT EACH LOCATION. QUESTIONS REGARDING APPLICABILITY OF TYPICAL DETAILS SHALL BE RESOLVED BY THE ARCHITECT.
- PRODUCT SUBSTITUTION SHALL BE MADE SUBJECT TO FULL COMPLIANCE WITH THE CRITERIA NOTED HEREON. ANY SUCH SUBSTITUTION SHALL BE SUBJECT TO PRIOR APPROVAL BY THE DESIGN PROFESSIONAL AND THE LOCAL BUILDING AUTHORITY HAVING JURISDICTION.
- PRIOR TO COMMENCEMENT OF THE WORK, PROVIDE THE ARCHITECT WITH A PROPOSED SUBMITTAL SCHEDULE. ALLOW, AT MINIMUM, (12) BUSINESS DAYS FOR EACH SUBMITTAL REVIEW. NO EXTENSION OF THE CONTRACT TIME OR INCREASE IN THE CONTRACT SUM WILL BE AUTHORIZED BECAUSE OF FAILURE TO TRANSMIT SUBMITTALS ENOUGH IN ADVANCE OF THE WORK TO PERMIT PROCESSING, INCLUDING RESUBMITTALS.
- COMPLY WITH 2020 FBC, RESIDENTIAL EDITION R301.2.1.2 FOR RESIDENTIAL WORK OR 2020 FBC 1609.1.2 FOR COMMERCIAL WORK REGARDING OPENING PROTECTION. FOR R-3 OCCUPANCIES ONLY, OPTION TO PROVIDE FLORIDA PRODUCT APPROVED IMPACT RESISTANT GLAZING PRODUCT, OR WIND LOAD APPROVED WINDOWS PROTECTED WITH FLORIDA PRODUCT APPROVED OPENING PROTECTION SYSTEM. IF LATTER OPTION IS USED, PROVIDE (2) COPIES OF MARKED INSTALLATION INSTRUCTIONS FOR ANCHOR SIZE, SPACING, MOUNTING TYPE, ETC.

| | | | |
|-----------------------------|---|------------------------------|-----------------------------------|
| ELEVATION REFERENCES | | ANNOTATION REFERENCES | |
| | ELEV. NO. INTERIOR ELEVATION REFERENCE | | WALL TAG REFERENCE |
| | DETAIL NO. EXTERIOR ELEVATION REFERENCE | | DOOR NUMBER REFERENCE |
| | DETAIL NO. DETAIL REFERENCE | | WINDOW TYPE |
| | DETAIL NO. BUILDING SECTION REFERENCE | | DATUM ELEVATION |
| | DETAIL NO. DETAIL REFERENCE | | CENTERLINE |
| | DETAIL NO. DETAIL REFERENCE | | COLUMN GRID NUMBER |
| | DETAIL NO. DETAIL REFERENCE | | Room name ROOM TAG |
| | DETAIL NO. DETAIL REFERENCE | | CEILING HEIGHT - ABOVE FIN. FLOOR |
| | DETAIL NO. DETAIL REFERENCE | | REVISION NUMBER REFERENCE |
| | DETAIL NO. DETAIL REFERENCE | | REVISION NO. |



dalrymple | sallis
architecture
503 E. Government St.
Pensacola, FL 32502
v: 850-470-6399
f: 850-470-6397
www.dalsai.com
AR 0016385

THIS DOCUMENT SHOWS ORIGINAL AND UNPUBLISHED WORK OF THE ARCHITECT AND MAY NOT BE DUPLICATED IN ANY PART WITHOUT WRITTEN CONSENT OF THE FIRM'S PRINCIPALS

CERTIFICATION

NOT FOR CONSTRUCTION

O'Rourke Exterior
823 North Baylen Street, Pensacola, FL

DRAWN BY: SKG CHECKED BY: JSS

ISSUE DATE: 08/25/2022

REVISIONS: No. Desc. Date


SHEET TITLE: **TITLE SHEET**

SHEET NO: **G001**

PROJECT NO: 22007

NEW WORK NOTES

1. PROVIDE STREET ADDRESS WITH MIN. 6" HIGH LETTERS ON BUILDING EXTERIOR VISIBLE FROM VEHICLE APPROACH.
2. VERIFY ALL MATERIALS AND FINISHES WITH THE OWNER/ARCHITECT.
3. CONTRACTOR TO COORDINATE WITH OWNER/SUBCONTRACTOR FOR ALL AUDIOVISUAL WORK.
4. ALL IRRIGATION AND LANDSCAPING PROVIDED BY OWNER.
5. PROVIDE ACOUSTICAL INSULATION AT ALL NEW BEDROOM AND BATHROOM WALLS.
6. EXTERIOR EGRESS DOORS NOT TO HAVE DOUBLE CYLINDER KEY LOCKS.
7. ENSURE ALL TILED SHOWERS UTILIZE A SCHULTER SYSTEM KERDI SHOWER KIT. ANY BUILT-IN SHOWER BENCHES MUST BE BUILT OUT OF SCHULTER SYSTEM KERDI BOARD SHOWER FOAM OR CMU BLOCK. WOOD FRAMED SHOWER SEATS ARE NOT ACCEPTABLE.
8. SET ALL NEW STUD WALL SILL PLATES ON NEOPRENE TAPE TO SEPARATE FRAMING MATERIAL FROM CONCRETE.
9. PROVIDE SPLIT SYSTEM FOR NEW CLIMATIZED KITCHEN AND CRAFT ROOM IN EXISTING GARAGE.



LEGAL DESCRIPTION:
 LTS 15 TO 18 AND N 120 FT OF LT 14 BLK 36
 BELMONT TRACT OR 8484 P 1680 CA 77

1 SITE PLAN
 1/8" = 1'-0"



dalrymple | sallis
 architecture
 503 E. Government St.
 Pensacola, FL 32502
 v: 850-470-6399
 f: 850-470-6397
 www.dalsal.com
 AR 0016385

THIS DOCUMENT SHOWS ORIGINAL AND UNPUBLISHED WORK OF THE ARCHITECT AND MAY NOT BE DUPLICATED IN ANY PART WITHOUT WRITTEN CONSENT OF THE FIRM'S PRINCIPALS

CERTIFICATION

NOT FOR CONSTRUCTION

O'Rourke Exterior
 823 North Baylen Street, Pensacola, FL

DRAWN BY: SKG
 CHECKED BY: JSS

ISSUE DATE:
 08/25/2022

| REVISIONS No. | Des. | Date |
|---------------|------|------|
| | | |

SHEET TITLE:

SITE PLAN


SHEET NO:

A001

PROJECT NO:
 22007

| DOOR SCHEDULE | | | | | | |
|---------------|-------|--------|-----------|----------|----------------|----------|
| DOOR NO. | DOOR | | TYPE MARK | DOOR | | Comments |
| | WIDTH | HEIGHT | | MATERIAL | FRAME MATERIAL | |
| 001 | 3'-0" | 6'-8" | A | WD | WD | |
| 002 | 2'-6" | 6'-8" | B | WD | WD | |

DOOR TYPES




A ENTRY
B 6 PANEL

DOOR NOTES

- CONTRACTOR TO VERIFY ALL DOOR STYLES, DOOR AND FRAME MATERIALS, AND HARDWARE WITH OWNER.
- ALL GLAZING IN DOOR TO BE TEMPERED SAFETY GLAZING.
- WOOD DOORS TO BE SOLID CORE, STAINED.
- PROVIDE DOOR STOPS, BUMPERS, THRESHOLDS AND WEATHERSTRIPS FOR ALL DOORS AS REQUIRED.

| WINDOW SCHEDULE | | | | | |
|-----------------|-------|--------|-------------|----------|----------|
| Type Mark | Width | Height | Head Height | Material | Comments |
| A | 2'-6" | 4'-0" | 7'-0" | IVINYL | |

WINDOW TYPES




A FIXED

WINDOW NOTES

- ALL WINDOWS TO BE VINYL, IMPACT-RATED PRODUCT.
- ALL WINDOWS TO HAVE MIN. LOW-E GLASS COATING.

FLASHING PROCESS FOR NEW WINDOWS

- IF LIQUID VAPOR BARRIER IS NOT USED, CUT BUILDING WRAP VAPOR BARRIER AS SHOWN. FOLD BOTTOM AND TOP SIDE FLAPS INTO OPENING AND FASTEN. TEMPORARILY HOLD TOP FLAP UP ABOVE OPENING. IF LIQUID VAPOR BARRIER IS USED, PAINT BARRIER INTO OPENING.
- PROVIDE SILL FLASHING TAPE OR ADDITIONAL LIQUID FLASHING THAT OVERHANGS OPENING 1" AND EXTENDS UP OPENING SIDES A MINIMUM OF 6".
- PROVIDE 2ND LAYER OF SILL FLASHING OR LIQUID FLASHING TO OVERLAP FIRST LAYER BY 1". DO NOT EXTEND SILL FLASHING PAST INTERIOR FACE OF FRAMING.
- INSTALL WINDOW FROM EXTERIOR OF BUILDING, PLUMB, SQUARE AND VERIFY OPERATION. FASTEN WINDOW IN OPENING WITH 2" GALVANIZED ROOFING NAILS AT 6" O.C.
- PROVIDE SIDE FLASHING TAPE OR ADDITIONAL LIQUID FLASHING TO EXTEND 2" ABOVE TOP AND BOTTOM OF OPENING.
- PROVIDE TOP FLASHING TAPE OR LIQUID FLASHING TO EXTEND PAST EDGE OF SIDE FLASHING TAPE BY 1". DO NOT TAPE OR SEAL BOTTOM NAILING FIN.
- IF LIQUID VAPOR BARRIER IS NOT USED, FOLD DOWN TOP FLAP OF BUILDING WRAP VAPOR BARRIER.
- IF LIQUID VAPOR BARRIER IS USED APPLY ADDITIONAL LAYER OF LIQUID FLASHING ABOVE WINDOW.
- PROVIDE FLASHING TAPE/ADDITIONAL LIQUID FLASHING AT DIAGONAL CUTS AT LEAST 1" LONGER THAN CUT.
- WHERE EXTERIOR SEALANT IS REQUIRED, USE OSI QUAD MAX CHEMICALLY CURING SEALANT, OR ARCHITECT APPROVED EQUAL.



TYPICAL WALL FRAMING
SHEATHING AS SPECIFIED
BUILDING WRAP OR LIQUID VAPOR BARRIER. SEPARATE FROM LIQUID FLASHING AT ROUGH OPENING AND SUBSEQUENT FLASHING.

TILE ON CEMENTITIOUS BACKER BOARD

24" DEEP
U/C FRIDGE
DW
24" DEEP
24" DEEP
24" DEEP

11'-3"

1/2" = 1'-0"

KITCHEN INTERIOR ELEVATION

1/2" = 1'-0"

ENLARGED GARAGE PLAN

1/4" = 1'-0"

ABBREVIATION KEY

INTERIOR FINISHES
CONC CONCRETE
GWB GYPSUM WALL BOARD
LVT LUXURY VINYL TILE
MRGWB MOISTURE-RESISTANT GYPSUM WALL BOARD
RBR RUBBER
TILE TILE
WD WOOD

INTERIOR APPLIANCES
DW DISHWASHER
U/C UNDER COUNTER

12'-3"

2'-0"

2'-0"

2'-0"

2'-0"

4'-3"

12" DEEP

12" DEEP

12" DEEP

12" DEEP

12" DEEP

10"

1'-0"

2'-2"

8"

10"

1'-11"

5"

3'-0"

2'-0"

4'-0"

3'-0"

11'-3"

7'-0"

1'-6"

3'-0"

2'-0"

12'-3"

2'-0"

2'-0"

2'-0"

2'-0"

4'-3"

12" DEEP

12" DEEP

12" DEEP

12" DEEP

12" DEEP

10"

1'-0"

2'-2"

8"

10"

1'-11"

5"

3'-0"

2'-0"

4'-0"

3'-0"

11'-3"

7'-0"

1'-6"

3'-0"

2'-0"

12'-3"

2'-0"

2'-0"

2'-0"

2'-0"

4'-3"

12" DEEP

12" DEEP

12" DEEP

12" DEEP

12" DEEP

10"

1'-0"

2'-2"

8"

10"

1'-11"

5"

3'-0"

2'-0"

4'-0"

3'-0"

11'-3"

7'-0"

1'-6"

3'-0"

2'-0"

12'-3"

2'-0"

2'-0"

2'-0"

2'-0"

4'-3"

12" DEEP

12" DEEP

12" DEEP

12" DEEP

12" DEEP

10"

1'-0"

2'-2"

8"

10"

1'-11"

5"

3'-0"

2'-0"

4'-0"

3'-0"

11'-3"

7'-0"

1'-6"

3'-0"

2'-0"

12'-3"

2'-0"

2'-0"

2'-0"

2'-0"

4'-3"

12" DEEP

12" DEEP

12" DEEP

12" DEEP

12" DEEP

10"

1'-0"

2'-2"

8"

10"

1'-11"

5"

3'-0"

2'-0"

4'-0"

3'-0"

11'-3"

7'-0"

1'-6"

3'-0"

2'-0"

12'-3"

2'-0"

2'-0"

2'-0"

2'-0"

4'-3"

12" DEEP

12" DEEP

12" DEEP

12" DEEP

12" DEEP

10"

1'-0"

2'-2"

8"

10"

1'-11"

5"

3'-0"

2'-0"

4'-0"

3'-0"

11'-3"

7'-0"

1'-6"

3'-0"

2'-0"

12'-3"

2'-0"

2'-0"

2'-0"

2'-0"

4'-3"

12" DEEP

12" DEEP

12" DEEP

12" DEEP

12" DEEP

10"

1'-0"

2'-2"

8"

10"

1'-11"

5"

3'-0"

2'-0"

4'-0"

3'-0"

11'-3"

7'-0"

1'-6"

3'-0"

2'-0"

12'-3"

2'-0"

2'-0"

2'-0"

2'-0"

4'-3"

12" DEEP

12" DEEP

12" DEEP

12" DEEP

12" DEEP

10"

1'-0"

2'-2"

8"

10"

1'-11"

5"

3'-0"

2'-0"

4'-0"

3'-0"

11'-3"

7'-0"

1'-6"

3'-0"

2'-0"

12'-3"

2'-0"

2'-0"

2'-0"

2'-0"

4'-3"

12" DEEP

12" DEEP

12" DEEP

12" DEEP

12" DEEP

10"

1'-0"

2'-2"

8"

10"

1'-11"

5"

3'-0"

2'-0"

</

NEW WORK NOTES

1. PROVIDE STREET ADDRESS WITH MIN. 6" HIGH LETTERS ON BUILDING EXTERIOR VISIBLE FROM VEHICLE APPROACH.
2. VERIFY ALL MATERIALS AND FINISHES WITH THE OWNER/ARCHITECT.
3. CONTRACTOR TO COORDINATE WITH OWNER/SUBCONTRACTOR FOR ALL AUDIO/VISUAL WORK.
4. ALL IRRIGATION AND LANDSCAPING PROVIDED BY OWNER.
5. PROVIDE ACOUSTICAL INSULATION AT ALL NEW BEDROOM AND BATHROOM WALLS.
6. EXTERIOR EGRESS DOORS NOT TO HAVE DOUBLE CYLINDER KEY LOCKS.
7. ENSURE ALL TILED SHOWERS UTILIZE A SCHLUTER SYSTEM KERDI SHOWER KIT. ANY BUILT-IN SHOWER BENCHES MUST BE BUILT OUT OF SCHULTER SYSTEM KERDI BOARD SHOWER FOAM OR CMU BLOCK. WOOD FRAMED SHOWER SEATS ARE NOT ACCEPTABLE.
8. SET ALL NEW STUD WALL SILL PLATES ON NEOPRENE TAPE TO SEPARATE FRAMING MATERIAL FROM CONCRETE.
9. PROVIDE SPLIT SYSTEM FOR NEW CLIMATIZED KITCHEN AND CRAFT ROOM IN EXISTING GARAGE.



dalrymple | sallis
architecture

503 E. Government St.
Pensacola, FL 32502
t: 850-470-6399
f: 850-470-6397
www.dalsal.com
AR 0016385

THIS DOCUMENT SHOWS ORIGINAL AND UN-PUBLISHED WORK OF THE ARCHITECT AND MAY NOT BE DUPLICATED IN ANY PART WITHOUT WRITTEN CONSENT OF THE FIRM'S PRINCIPALS

CERTIFICATION

NOT FOR CONSTRUCTION

O'Rourke Exterior
823 North Baylen Street, Pensacola, FL

DRAWN BY: SKG
CHECKED BY: JSS

ISSUE DATE:
08/25/2022


REVISIONS
No. Des. Date

SHEET TITLE:
ENLARGED PERGOLA AND POOL PLAN


SHEET NO.:

A102

PROJECT NO:
22007



2 ENLARGED POOL PLAN
1/4" = 1'-0"



1 ENLARGED PERGOLA PLAN
1/4" = 1'-0"



1 GARAGE NORTH EXISTING ELEVATION
 1/2" = 1'-0"



dalrymple | sallis
 architecture
 503 E. Government St.
 Pensacola, FL 32502
 v: 850-470-6399
 f: 850-470-6397
 www.dalsal.com
 AR 0016385

THIS DOCUMENT SHOWS ORIGINAL AND UN-FINISHED WORK OF THE ARCHITECT AND MAY NOT BE DUPLICATED IN ANY PART WITHOUT WRITTEN CONSENT OF THE FIRM'S PRINCIPALS

CERTIFICATION

NOT FOR CONSTRUCTION

O'Rourke Exterior
 823 North Baylen Street, Pensacola, FL


| | |
|------------------|--------------------|
| DRAWN BY: SKG | CHECKED BY: EDD |
|------------------|--------------------|

ISSUE DATE:
08/31/2022


| REVISIONS No. | Des. | Date |
|---------------|------|------|
| | | |

SHEET TITLE:
GARAGE EXISTING ELEVATION


SHEET NO:
A202
 PROJECT NO:
 22007




4 HEADER FRAMING DETAIL
1/2" = 1'-0"



3 SECTION THROUGH GARAGE WINDOW
1 1/2" = 1'-0"



1 GARAGE NORTH ELEVATION
1/2" = 1'-0"



2 SECTION THROUGH GARAGE
1/2" = 1'-0"

THIS DOCUMENT SHOWS ORIGINAL AND UNPUBLISHED WORK OF THE ARCHITECT AND MAY NOT BE DUPLICATED IN ANY PART WITHOUT WRITTEN CONSENT OF THE FIRM'S PRINCIPALS

CERTIFICATION


NOT FOR CONSTRUCTION

O'Rourke Exterior
823 North Baylen Street, Pensacola, FL


| | | |
|---------------------------|--------------------|------|
| DRAWN BY: SKG | CHECKED BY: JSS | |
| ISSUE DATE: 08/25/2022 | | |
| REVISIONS No. | Des. | Date |

SHEET TITLE:
GARAGE ELEVATIONS AND SECTIONS


SHEET NO:
A201
PROJECT NO:
22007




4 SECTION THROUGH POOL DECK RETAINING WALL
3/4" = 1'-0"




1 PERGOLA AXON



5 SECTION @ CONC. STAIRS
3/4" = 1'-0"



3 TYPICAL PERGOLA EDGE
3" = 1'-0"



2 TYPICAL PERGOLA COLUMN CONNECTION
1" = 1'-0"



dalrymple | sallis
architecture
503 E. Government St.
Pensacola, FL 32502
v: 850-470-6399
f: 850-470-6397
www.dalsal.com
AR 0016385

THIS DOCUMENT SHOWS ORIGINAL AND UNPUBLISHED WORK OF THE ARCHITECT AND MAY NOT BE DUPLICATED IN ANY PART WITHOUT WRITTEN CONSENT OF THE FIRM'S PRINCIPALS

CERTIFICATION

NOT FOR CONSTRUCTION

O'Rourke Exterior
823 North Baylen Street, Pensacola, FL

DRAWN BY: SKG
CHECKED BY: JSS

ISSUE DATE: 08/25/2022

| REVISIONS No. | Des. | Date |
|---------------|------|------|
| | | |

SHEET TITLE:

LANDSCAPE SECTIONS

SHEET NO:

A302

PROJECT NO: 22007



dalrymple | sallis
architecture
503 E. Government St.
Pensacola, FL 32502
t: 850-470-6399
f: 850-470-6397
www.dalsal.com
AR 0016385

THIS DOCUMENT SHOWS ORIGINAL AND UNPUBLISHED WORK OF THE ARCHITECT AND MAY NOT BE DUPLICATED IN ANY PART WITHOUT WRITTEN CONSENT OF THE FIRM'S PRINCIPALS

CERTIFICATION

NOT FOR CONSTRUCTION

O'Rourke Exterior
823 North Baylen Street, Pensacola, FL

| | |
|---------------------|--------------------|
| DRAWN BY: Author | CHECKED BY: JSS |
|---------------------|--------------------|

ISSUE DATE:
08/25/2022

| REVISIONS No. | Des. | Date |
|---------------|------|------|
| | | |

SHEET TITLE:
3D EXTERIOR PERSPECTIVE VIEWS

SHEET NO:
A701
PROJECT NO:
22007


NOTE: ALL 3D VIEWS ARE CONCEPTUAL AND NOT CONSIDERED CONTRACT DOCUMENTS

Date: Thursday, August 25, 2022


Project: O'Rourke Exterior
823 Baylen Street
Pensacola, FL 32502

Recipient: Architectural Review Board – City of Pensacola

Project Location



Existing Photographs








Historic Photographs



210 S Palafox

Exterior Color Schedule

| ARCHITECTURAL ELEMENT | MANUFACTURER | COLOR |
|----------------------------------|--------------|-----------------------------|
| Wood Siding | TBD | TO MATCH EXISTING |
| Wood Trim | TBD | TO MATCH EXISTING |
| Architectural Grade Running Trim | TBD | TO MATCH EXISTING |
| Entry Door | TBD | TO MATCH EXISTING |
| Window/Door Frames | TBD | TO MATCH EXISTING RED |
| Wood Pergola | TBD | TO MATCH EXISTING DARK BLUE |
| Stucco | TBD | TO MATCH EXISTING |
| Coping | TBD | Precast concrete |
| Powder coated aluminum | TBD | Black |



Pergola Color

Similar to exterior base siding



Garage Siding

Similar to Existing Garage Siding


Powder Coated Aluminum Fence

Custom 4' Fence to match existing



Powder Coated Aluminum Driveway Gate

Custom Driveway Single Swing Gate



Window- Fixed - Divided Lite to Match Existing

Jeld-Wen - Vinyl Clad




Door – 10 Lite French Door

Manufacturer TBD – Wood – Painted to match existing red.



Lap Siding Profile

To Match Existing



Traditional Lap

Paver Selection

Peacock Paver – Rice White



Precast Concrete Coping

Manufacturer TBD – Concrete



Lighting

Hinkley - Bromley



Renderings





