



**Architectural Review Board Application
Full Board Review**

Application Date: 5/26/2022

Project Address: 209 S Alcaniz Stret

Applicant: Michael and Anita Williams

Applicant's Address: 4703 Huron Drive, Pensacola FL 32507

Email: 4995michael@gmail.com **Phone:** (850)380-4995

Property Owner: Michael Williams

District: *PHD* *NHPD* *OEHPD* *PHBD* *GCD*
(If different from Applicant)

Application is hereby made for the project as described herein:

- Residential Homestead – \$50.00 hearing fee
- Commercial/Other Residential – \$250.00 hearing fee

** An application shall be scheduled to be heard once all required materials have been submitted and it is deemed complete by the Secretary to the Board. You will need to include ten (10) copies of the required information. Please see pages 3 – 4 of this application for further instruction and information.*

Project specifics/description:

Construction of a new single family dwelling with detached car port. Style to be Victorian.


I, the undersigned applicant, understand that payment of these fees does not entitle me to approval and that no refund of these fees will be made. I have reviewed the applicable zoning requirements and understand that I must be present on the date of the Architectural Review Board meeting.

Michael L Williams
Applicant Signature

5/24/2022
Date




Layout Page Table			
Label	Title	Description	Comments
P-1	Overview		
	Elevations 1		
	Elevations 2		
	Dimensioned Plan 1		
	Dimensioned Plan 2		
	Site Plan		



LIVING AREA
484 SQ. FT.

Floor 2



LIVING AREA
1252 SQ. FT.

Floor 1

REVISION TABLE	
NUMBER	DATE

Overview

Mike & Anita Williams
209 S Alcaniz Street
Pensacola, FL 32501
(850) 380 4995

DRAWINGS PROVIDED BY:
Roy G Shurling, P.A.
1625 E Heinberg Street
Pensacola FL 32502
(850) 281 1254


DATE:

6/13/2022

SCALE:


SHEET:

P-1



Exterior Elevation Front

NOTE SCHEDULE	
①	CMU STEM WALL W/ BRICK VENEER
②	RECLAIMED BRONZE OR COPPER LIGHTS
③	WOOD 36" HANDRAIL W/ TURNED SPINDLES
④	WOOD BRACKET
⑤	WOOD GABLE BRACKET
⑥	WOOD RUNNING TRIM
⑦	TANKLESS WH
⑧	HARDIE OR NICHHA LAP SIDING (KENNEBUNK PORT GREEN)
⑨	MERMAID SHAKE SIDING (KENNEBUNK PORT GREEN)
⑩	ALL WINDOWS TO BE KOLBE OR ANDERSON
⑪	STRUCTURAL TURNED POST W/ INNER SLEEVE FOR ALL THREAD
⑫	PINNACLE PRISTINE SHINGLES



CARPORT FRONT



Exterior Elevation Left

2022© COPYRIGHT THESE PLANS MAY NOT BE REPRODUCED OR COPIED WITHOUT WRITTEN PERMISSION FROM ROY G. SHURLING, P.A.

NUMBER	DATE	REVISED BY	DESCRIPTION

Elevations 1

Mike & Anita Williams
209 S Alcaniz Street
Pensacola, FL 32501
(850) 380 4995

DRAWINGS PROVIDED BY:
Roy G Shurling, P.A.
1625 E Heinberg Street
Pensacola FL 32502
(850) 281 1254


DATE:

6/13/2022

SCALE:

SHEET:


P-2



Exterior Elevation Back

NOTE SCHEDULE

ⓐ	ALL WINDOWS TO BE KOLBE OR ANDERSON
ⓑ	CMU STEM WALL W/ BRICK VENEER
ⓒ	HARDIE OR NICHHA LAP SIDING (KENNEBUNK PORT GREEN)
ⓓ	MERMAID SHAKE SIDING (KENNEBUNK PORT GREEN)
ⓔ	PINNACLE PRISTINE SHINGLES
ⓕ	RECLAIMED BRONZE OR COPPER LIGHTS
ⓖ	STRUCTURAL TURNED POST W/ INNER SLEEVE FOR ALL THREAD
ⓗ	TANKLESS WH
ⓓ	WOOD 3/8" HANDRAIL W/ TURNED SPINDLES
ⓔ	WOOD BRACKET
ⓕ	WOOD GABLE BRACKET
ⓖ	WOOD RUNNING TRIM



Exterior Elevation Right

REVISION TABLE	NUMBER	DATE	REVISOR	DESCRIPTION

Elevations 2

Mike & Anita Williams
209 S Alcaniz Street
Pensacola, FL 32501
(850) 380 4995

DRAWINGS PROVIDED BY:
Roy G Shurling, P.A.
1625 E Heinberg Street
Pensacola FL 32502
(850) 281 1254




DATE:

6/13/2022

SCALE:

SHEET:

P-3



1st Floor - Dimensions

2022© COPYRIGHT THESE PLANS MAY NOT BE REPRODUCED OR COPIED WITHOUT WRITTEN PERMISSION FROM ROY G. SHURLING, P.A.

NO.	SYMBOL	TYPE	SIZE	LOCATION	DESCRIPTION	REVISION				
1	[Symbol]	W	1180H	4	2	1180H	24WIT	DOUBLE HUNG	24X20P(Z)	KOLBE OR ANDERSON
2	[Symbol]	W	2800H	5	1	2800H	37WIT	DOUBLE HUNG	24X20P(Z)	KOLBE OR ANDERSON
3	[Symbol]	W	1800H	1	2	1800H	17WIT	DOUBLE HUNG	24X20P(Z)	KOLBE OR ANDERSON
4	[Symbol]	W	2000H	1	1	2000H	29WIT	DOUBLE HUNG	24X20P(Z)	KOLBE OR ANDERSON
5	[Symbol]	W	2000H	1	2	2000H	37WIT	FIXED BALCONY	24X20P(Z)	KOLBE OR ANDERSON
6	[Symbol]	W	2800H	3	3	2800H	37WIT	DOUBLE HUNG	24X20P(Z)	KOLBE OR ANDERSON
7	[Symbol]	W	2800H	1	1	2800H	37WIT	DOUBLE HUNG	24X20P(Z)	KOLBE OR ANDERSON
8	[Symbol]	W	2800H	3	1	2800H	37WIT	DOUBLE HUNG	24X20P(Z)	KOLBE OR ANDERSON
9	[Symbol]	W	2000H	1	1	2000H	37WIT	FIXED BALCONY	24X20P(Z)	KOLBE OR ANDERSON
10	[Symbol]	W	1180H	4	1	1180H	24WIT	DOUBLE HUNG	24X20P(Z)	KOLBE OR ANDERSON
11	[Symbol]	W	3000H	1	1	3000H	37WIT	DOUBLE HUNG	24X20P(Z)	KOLBE OR ANDERSON
12	[Symbol]	W	2000H	2	1	2000H	37WIT	FIXED BALCONY	24X20P(Z)	KOLBE OR ANDERSON

Windows

NO.	SYMBOL	TYPE	SIZE	LOCATION	DESCRIPTION	REVISION					
1	[Symbol]	W	200	1	2	200 Wx14	34WIT	K	DOT HANDED DOUBLE HUNG	24X20P(Z)	TRIP
2	[Symbol]	W	200	1	1	200 Wx18	34WIT	K	HANDED DOUBLE HUNG	24X20P(Z)	TRIP
3	[Symbol]	W	200	2	2	200 Wx14	34WIT	L	HANDED DOUBLE HUNG	24X20P(Z)	TRIP
4	[Symbol]	W	200	2	2	200 Wx18	34WIT	K	HANDED DOUBLE HUNG	24X20P(Z)	TRIP
5	[Symbol]	W	200	1	1	200 Wx14	34WIT	L	FIXED DOUBLE HUNG	24X20P(Z)	TRIP
6	[Symbol]	W	200	1	1	200 Wx14	34WIT	L	HANDED DOUBLE HUNG	24X20P(Z)	TRIP
7	[Symbol]	W	200	3	1	200 Wx18	34WIT	K	HANDED DOUBLE HUNG	24X20P(Z)	TRIP
8	[Symbol]	W	300	1	2	300 Wx14	37WIT	L	DOT HANDED DOUBLE HUNG	24X20P(Z)	HOUSE
9	[Symbol]	W	300	1	2	300 Wx14	37WIT	L	SUPER DOUBLE HUNG	24X20P(Z)	TRIP
10	[Symbol]	W	300	3	1	300 Wx18	37WIT	K	DOT HANDED DOUBLE HUNG	24X20P(Z)	HOUSE
11	[Symbol]	W	300	1	2	300 Wx14	37WIT	L	SUPER DOUBLE HUNG	24X20P(Z)	TRIP

Doors

REVISION TABLE	
NUMBER	DATE / REVISION BY / DESCRIPTION

Dimensioned Plan 1

Mike & Anita Williams
209 S Alcaniz Street
Pensacola, FL 32501
(850) 380 4995

DRRAWINGS PROVIDED BY:
Roy G Shurling, P.A.
1625 E Heinberg Street
Pensacola FL 32502
(850) 281 1254


DATE:
6/13/2022

SCALE:

SHEET:
P-4

SYMBOL	DESCRIPTION	NUMBER	FLOOR	SIZE	MARKING	REMARKS
	PK1	11/80SH	4	2	11/80SH	24" WHT
	PK2	2/80SH	5	1	2/80SH	20" WHT
	PK3	1/80SH	1	2	1/80SH	19" WHT
	PK4	2/80SH	1	1	2/80SH	20" WHT
	PK5	2/80PK	1	2	2/80PK	20" WHT
	PK7	2/80SH	3	2	2/80SH	20" WHT
	PK8	2/80SH	1	1	2/80SH	20" WHT
	PK9	2/80SH	3	1	2/80SH	20" WHT
	PK10	2/80SH	1	2	2/80SH	20" WHT
	PK11	1/80SH	4	1	1/80SH	20" WHT
	PK12	1/80SH	1	1	1/80SH	20" WHT
	PK13	2/80PK	2	1	2/80PK	20" WHT
	PK14	2/80SH	1	1	2/80SH	20" WHT
	PK15	2/80PK	1	1	2/80PK	20" WHT
	PK16	2/80SH	1	1	2/80SH	20" WHT
	PK17	2/80SH	1	1	2/80SH	20" WHT
	PK18	2/80SH	1	1	2/80SH	20" WHT
	PK19	2/80SH	1	1	2/80SH	20" WHT
	PK20	2/80SH	1	1	2/80SH	20" WHT
	PK21	2/80SH	1	1	2/80SH	20" WHT
	PK22	2/80SH	1	1	2/80SH	20" WHT
	PK23	2/80SH	1	1	2/80SH	20" WHT
	PK24	2/80SH	1	1	2/80SH	20" WHT
	PK25	2/80SH	1	1	2/80SH	20" WHT
	PK26	2/80SH	1	1	2/80SH	20" WHT
	PK27	2/80SH	1	1	2/80SH	20" WHT
	PK28	2/80SH	1	1	2/80SH	20" WHT
	PK29	2/80SH	1	1	2/80SH	20" WHT
	PK30	2/80SH	1	1	2/80SH	20" WHT
	PK31	2/80SH	1	1	2/80SH	20" WHT
	PK32	2/80SH	1	1	2/80SH	20" WHT
	PK33	2/80SH	1	1	2/80SH	20" WHT
	PK34	2/80SH	1	1	2/80SH	20" WHT
	PK35	2/80SH	1	1	2/80SH	20" WHT
	PK36	2/80SH	1	1	2/80SH	20" WHT
	PK37	2/80SH	1	1	2/80SH	20" WHT
	PK38	2/80SH	1	1	2/80SH	20" WHT
	PK39	2/80SH	1	1	2/80SH	20" WHT
	PK40	2/80SH	1	1	2/80SH	20" WHT
	PK41	2/80SH	1	1	2/80SH	20" WHT
	PK42	2/80SH	1	1	2/80SH	20" WHT
	PK43	2/80SH	1	1	2/80SH	20" WHT
	PK44	2/80SH	1	1	2/80SH	20" WHT
	PK45	2/80SH	1	1	2/80SH	20" WHT
	PK46	2/80SH	1	1	2/80SH	20" WHT
	PK47	2/80SH	1	1	2/80SH	20" WHT
	PK48	2/80SH	1	1	2/80SH	20" WHT
	PK49	2/80SH	1	1	2/80SH	20" WHT
	PK50	2/80SH	1	1	2/80SH	20" WHT
	PK51	2/80SH	1	1	2/80SH	20" WHT
	PK52	2/80SH	1	1	2/80SH	20" WHT
	PK53	2/80SH	1	1	2/80SH	20" WHT
	PK54	2/80SH	1	1	2/80SH	20" WHT
	PK55	2/80SH	1	1	2/80SH	20" WHT
	PK56	2/80SH	1	1	2/80SH	20" WHT
	PK57	2/80SH	1	1	2/80SH	20" WHT
	PK58	2/80SH	1	1	2/80SH	20" WHT
	PK59	2/80SH	1	1	2/80SH	20" WHT
	PK60	2/80SH	1	1	2/80SH	20" WHT
	PK61	2/80SH	1	1	2/80SH	20" WHT
	PK62	2/80SH	1	1	2/80SH	20" WHT
	PK63	2/80SH	1	1	2/80SH	20" WHT
	PK64	2/80SH	1	1	2/80SH	20" WHT
	PK65	2/80SH	1	1	2/80SH	20" WHT
	PK66	2/80SH	1	1	2/80SH	20" WHT
	PK67	2/80SH	1	1	2/80SH	20" WHT
	PK68	2/80SH	1	1	2/80SH	20" WHT
	PK69	2/80SH	1	1	2/80SH	20" WHT
	PK70	2/80SH	1	1	2/80SH	20" WHT
	PK71	2/80SH	1	1	2/80SH	20" WHT
	PK72	2/80SH	1	1	2/80SH	20" WHT
	PK73	2/80SH	1	1	2/80SH	20" WHT
	PK74	2/80SH	1	1	2/80SH	20" WHT
	PK75	2/80SH	1	1	2/80SH	20" WHT
	PK76	2/80SH	1	1	2/80SH	20" WHT
	PK77	2/80SH	1	1	2/80SH	20" WHT
	PK78	2/80SH	1	1	2/80SH	20" WHT
	PK79	2/80SH	1	1	2/80SH	20" WHT
	PK80	2/80SH	1	1	2/80SH	20" WHT
	PK81	2/80SH	1	1	2/80SH	20" WHT
	PK82	2/80SH	1	1	2/80SH	20" WHT
	PK83	2/80SH	1	1	2/80SH	20" WHT
	PK84	2/80SH	1	1	2/80SH	20" WHT
	PK85	2/80SH	1	1	2/80SH	20" WHT
	PK86	2/80SH	1	1	2/80SH	20" WHT
	PK87	2/80SH	1	1	2/80SH	20" WHT
	PK88	2/80SH	1	1	2/80SH	20" WHT
	PK89	2/80SH	1	1	2/80SH	20" WHT
	PK90	2/80SH	1	1	2/80SH	20" WHT
	PK91	2/80SH	1	1	2/80SH	20" WHT
	PK92	2/80SH	1	1	2/80SH	20" WHT
	PK93	2/80SH	1	1	2/80SH	20" WHT
	PK94	2/80SH	1	1	2/80SH	20" WHT
	PK95	2/80SH	1	1	2/80SH	20" WHT
	PK96	2/80SH	1	1	2/80SH	20" WHT
	PK97	2/80SH	1	1	2/80SH	20" WHT
	PK98	2/80SH	1	1	2/80SH	20" WHT
	PK99	2/80SH	1	1	2/80SH	20" WHT
	PK100	2/80SH	1	1	2/80SH	20" WHT

Windows




LIVING AREA
484 SQ. FT.

2nd Floor Dimensioned

Doors

SYMBOL	DESCRIPTION	NUMBER	FLOOR	SIZE	MARKING	REMARKS
	D01	200	1	2	200 R/L	24" WHT
	D02	200	1	1	200 R/L	24" WHT
	D03	200	2	2	200 L/L	24" WHT
	D04	200	2	2	200 R/L	24" WHT
	D05	200	1	1	200 L/L	24" WHT
	D06	200	1	1	200 L/L	24" WHT
	D07	200	3	1	200 R/L	24" WHT
	D08	200	1	2	200 L/L	24" WHT
	D09	200	1	2	200 L/L	24" WHT
	D10	200	3	1	200 L/L	24" WHT
	D11	200	2	2	200 L/L	24" WHT



SITE PLAN

NUMBER	DATE	REVISION TABLE	REVISOR	DESCRIPTION

Site Plan

Mike & Anita Williams
 209 S Alcaniz Street
 Pensacola, FL 32501
 (850) 380 4995

DRAWINGS PROVIDED BY:
Roy G Shurling, P.A.
 1625 E Heinberg Street
 Pensacola FL 32502
 (850) 281 1254

DATE:



6/13/2022

SCALE:

SHEET:

P-6

209 S Alcaniz Street ARB Documents – Michael and Anita Williams







Siding – Smooth Fiber Cement from Hardie or Nichiha



HARDIE® PLANK LAP SIDING

SMOOTH

You can't go wrong with this sleek, modern siding. Find the perfect color in our Statement Collection products or Dream Collection products. Or get it primed for paint.




THE STATEMENT COLLECTION™

Classic shades—engineered with long-lasting ColorPlus® Technology—will make a statement that resonates for generations. The tried and true colors of James Hardie's Statement Collection™ products were designed for every home. They're our most popular hues. And they are readily available in your region.



SIDING COLORS

Heathered Moss



[Request a Quote >](#)

[Request a Sample >](#)

Colors shown may vary due to screen resolution. Please see actual product sample for true color.


AVAILABLE SIZES

THICKNESS: 0.312"	WIDTHS: 8.25"
LENGTH: 144" boards	EXPOSURES: 7"

[Warranty Information >](#)

Paint Colors


Siding



Trim



Roofing – Architectural Shingles by Atlas



Roofing Shingles / Choose Your Shingle / Pinnacle® Pristine

HOME ROOF SHINGLES POLYISO INSULATION MOLDED POLYSTYRENE WEBTECH ALL PRODUCTS CAREERS CONTACT ATLAS PRO Search

Pinnacle® Pristine
High Performance Architectural Shingles


Pristine Appearance.
Protected Appeal.

Pinnacle® Pristine architectural shingles provide stunning color that lasts.

All Natural Expressions Classic

Pristine Oyster Pristine Pearl Pristine Pewter Pristine Sienna Pristine Sunset

Windows – Kolbe or Anderson as noted on plan depending on availability



WINDOWS DOORS PRODUCT LINES GALLERY SOLUTIONS RESOURCES WHERE TO BUY PARTS & SERVICE

Two Interior Material Options

Forgent Series windows are comprised of Glastra, a proprietary hybrid of fiberglass and UV stable polymer, formulated for strength and resilience. To better match your décor and performance requirements, Forgent Series products are available in two different interior materials.

Glastra/Glastra
The exterior and interior is comprised of Glastra with finishes available in Cloud, Sahara, Midnight or Bronze.

Glastra/Wood
The exterior is comprised of Glastra, while the interior is Pine wood available in distinct pre-finishes including: Double Clear Coat, Latex Primer, Black Paint, White Paint, or a variety of stains.

Building - Strength. Jobsite Efficiency. Success.

Forgent Series windows are simple to install and feature thoughtful design, making them the perfect choice for today's builder. These energy-efficient, durable windows reduce call-backs and provide comfortable homes from new construction to replacement projects.

In addition to the features & benefits listed above, Forgent Series products offer additional benefits for your next project:

- **Three convenient installation methods:** integral nailing fin, installation clips, and screw through frame
- **Integral nailing fin** requires fewer sealing points and is more rigid than an accessory fin
- **Installation clip grooves** designed for easy placement of clips and faster installation
- **Glazing bead receptor** helps create a clean break-point during painting & staining
- **Accessory groove** allows for quick installation of exterior accessories without additional clips
- **Dry-glazed sash** allows for serviceable sash & components


DOUBLE HUNG STANDARD FEATURES

- ▶ All Glastra units with Cloud or Sahara integral color (see pg. 58)
- ▶ Flush frame groove filler for drywall return (New Construction - no extension jamb)
- ▶ Energy efficient, insulating Solar Low-E glass (see pg. 60)
- ▶ Equal glass sizing provides matching sight lines from sash to sash
- ▶ Dry glazed to the interior with beveled glazing bead
- ▶ Accessory grooves are integral to the extruded frames for the easy addition of accessories
- ▶ Full frame insect screen with BetterVue® fiberglass mesh and Water Shed Technology™ (see screen finishes, pg. 62)
- ▶ Stainless steel, constant force balance system provides durability and ease of operation
- ▶ Sash lock and tilt latches are color matched to the interior (pg. 17)
- ▶ Lift handle on bottom sash is color matched to the interior (only on All Glastra units; pg. 17)
- ▶ Integral 1-1/4" nailing fin provides easier installation and helps seal the window opening (New Construction)

NOTE: All measurements are nominal.



**GLASTRA/WOOD
NEW CONSTRUCTION DOUBLE HUNG**
(interior)



**GLASTRA/WOOD
NEW CONSTRUCTION DOUBLE HUNG**
(exterior)

Double Hung Direct Set	Impact 4	Single	1.57	470 Pa (9.82 psf)	LC-PG65 FW	+3120 Pa (65.16 psf)	-3120 Pa (65.16 psf)	59.5	1511	85.5	2172	22242	In Process
Double Hung Direct Set	Impact 4	Single	1.57	470 Pa (9.82 psf)	LC-PG65 FW	+3120 Pa (65.16 psf)	-3120 Pa (65.16 psf)	28.5	724	71.5	1816	22242	In Process
Double Hung Direct Set	Impact 4	Single	1.57	470 Pa (9.82 psf)	CW-PG55 FW	+3120 Pa (65.16 psf)	-3120 Pa (65.16 psf)	59.5	1511	95.5	2426	22242	In Process
Double Hung	Impact 4	Single	1.57	470 Pa (9.82 psf)	LC-PG55 H	+2640 Pa (55.14 psf)	-2640 Pa (55.14 psf)	44	1118	75	1905	22655	In Process

WINDOWS DOORS PRODUCT LINES GALLERY
SOLUTIONS RESOURCES WHERE TO BUY PARTS & SERVICE

Divided Lites

Exterior Material

Exterior Trim

Insect Screens

PERFORMANCE DIVIDED LITES GRILLES-IN-THE-AIRSPACE


With Kolbe's performance divided lite (PDL) system, bars are adhered on the interior and exterior of an insulating glass unit and bars aligned within the unit. PDL bars are available in various widths and patterns. They may be finished to match the exterior and/or interior, as requested.

Beveled Profile PDL Bars

NOTE: Limitations may apply. Please consult your local Kolbe dealer for more information.

7/8" Beveled Profile PDL Bars


DIRECT SETS | Specialty Shapes




Segment




Segment
w/o legs




Quarter
Segment




Quarter Segment
w/o legs




Quarter
Circle



Quarter Circle
w/o legs



Full Circle*




Half Circle




Half Circle
w/o legs




Pentoid




Trapezoid




Right Triangle




Isosceles Triangle



Clipped Corner



Double Clipped
Corner



Octagon



VIDEO



A-SERIES

DOUBLE-HUNG WINDOW

★★★★ 3.7 (6)

A-Series double-hung windows have two operating sash that move up and down allowing for ventilation on the top, bottom or both. The sash tilt in for easy cleaning from the inside of your home. Made of wood protected by fiberglass and Fibrex® composite material, it's our best-performing double-hung window.

- Our best-performing double-hung
- Wood protected by fiberglass and Fibrex® composite material
- Designed for architectural authenticity
- Standard sizes up to 4' wide and 8' high. Custom sizes available.

Need help? Find an [Anderson Certified Contractor](#) in your area.

[DESIGN THIS WINDOW](#)[REQUEST A QUOTE](#)

SEE HOW OTHERS ARE USING THIS PRODUCT

Tag on using #andersenwindows



FULL DIVIDED LIGHT

For an authentic look, full divided light grilles are permanently applied to the interior and exterior of the window with a spacer bar between the glass.



FULL DIVIDED LIGHT WITH ENERGY SPACER


Full Divided light with energy spacer has grilles that are permanently applied to the interior and exterior of the window. The narrow spacer bar minimizes transfer of heat and cold to the interior surface, improving the overall thermal performance. Products will have the same U-Factor, SHGC and visible transmission as they would with simulated divided light grilles.

Available on A-Series windows.



SIMULATED DIVIDED LIGHT

Simulated divided light offers permanently applied grilles on the exterior and interior with no spacer bar between the glass.



SIMULATED DIVIDED LIGHT WITH REMOVABLE INTERIOR GRILLES

Simulated divided light grilles have permanently applied grilles on the exterior and removable interior grilles for easy cleaning.



FINELIGHT™ GRILLES-BETWEEN-THE-GLASS


Finelight™ grilles-between-the-glass are located between the panes of glass making windows and doors easy to clean. With a sculpted profile and a two-sided color scheme, they match both the interior and exterior of the window or door.



FINELIGHT™ GRILLES-BETWEEN-THE-GLASS WITH PERMANENT EXTERIOR GRILLES

Finelight™ grilles-between-the-glass are located between the panes of glass making windows and doors easier to clean. The permanent grilles on the exterior provide architectural style and detail.

Available on 100 Series products.



REMOVABLE INTERIOR GRILLES

Removable interior grilles are located on the room side glass surface and come off the glass for easy cleaning.



SUMMARY TEST REPORT

FOR: Andersen E Series/Eagle
2045 Kerper Boulevard
Dubuque, Iowa 52001

Report Number: E3276.02-201-44
Test End Date: 12/17/2014
Report Date: 02/17/2015
Test Record Retention End Date: 12/17/2018

SERIES TESTED:
MODEL TESTED

Series 07 Clad Double Hung Vent with HMIG
3466

NAFS-08/-11	Class R-PG55 Size Tested 1016 x 1981 mm (40.0 x 78.0 in.)-H
Test	Results Summary
Resistance to Air Infiltration	0.16 cfm/ft ² (ASTM E283)
Resistance to Water Penetration	Pass at DP55 (ASTM E547)
Resistance to Structural Loading	Pass at DP55 (ASTM E330)
Forced Entry Resistance	Pass (ASTM F588)
ASTM E1886 / ASTM E1996	
Test	Results Summary
Impact	No rips, tears or penetrations, Missile D, Zone 4
Pressure Cycling	DP+55/-65 psf

REFERENCE:	See Intertek-ATI Report No. E3276.01-201-44 and E3266.02-201-18 for complete test results.
-------------------	--

A copy of this report will be retained by Intertek-ATI for a period of four years. This report is the exclusive property of the client named herein and is applicable to the sample tested. Results obtained are tested values and do not constitute an opinion or endorsement by this laboratory.

INTERTEK-ATI


Eric J. Schoenthaler
Project Manager

INTERTEK-ATI

Daniel A. Johnson
Director - Regional Operations

Structural Porch Posts


PermaPost® | Buy Colonial Columns & Load Bearing Columns for Exterior Porches - HB&G Columns




Colonial PermaPost® Sizes

Porch Post Size	Lengths
5"	8, 9'
6" High Density	8, 9'

Colonial PermaPosts are shipped with 2 fasteners per post.



The Square PermaPost® is available in a 5" width and lengths of 8, 9, and 10'.



Example of Wood Running Trim and Gable Brackets




Example of Wood Porch Rails



Example of Ribbon Driveway



Brick Veneer on Foundation Wall Example



Renderings



