

[EXTERNAL] Re: City of Pensacola Architectural Review Board Meeting / Pre-app Meeting Comments



Samantha Garrett <samantha@dalsal.com>
To: Gregg Harding



Thu 9/8/2022 10:00 AM

You replied to this message on 9/8/2022 11:23 AM.



THIS EMAIL IS FROM AN EXTERNAL EMAIL ACCOUNT

Gregg,

See attached window product information.

As far as the generator, it is to the south of the existing ~3'-6" retaining wall, which is roughly the height of the generator, so it will be hidden from view, however plants will be located to the north along the retaining wall and around the pool. We suggested they use Chinese Yew to surround the pool to block views.

Thank you,
Samantha

TABLE OF CONTENTS

Specifications	1-2
Quick Spec Guide	1-3
Elevations/Sizes: 1/4" Scale	
Full Casement	1-4
Casement 2 Wide	1-6
Casement 3 Wide with Center Stationary	1-7
Casement 4 Wide	1-9
Full Casement with Quarter Round	1-11
Full Casement with Half Round	1-15
Casement 2 Wide with Half Round	1-17
Sash Glazing Options: 3" Scale	1-20
Grilles & SDL Lite Patterns	1-21
Section Details: 4" Scale	1-22

TABLE OF CONTENTS

Specifications	1-2
Quick Spec Guide	1-3
Elevations/Sizes: 1/4" Scale	
Full Casement	1-4
Casement 2 Wide	1-6
Casement 3 Wide with Center Stationary	1-7
Casement 4 Wide	1-9
Full Casement with Quarter Round	1-11
Full Casement with Half Round	1-15
Casement 2 Wide with Half Round	1-17
Sash Glazing Options: 3" Scale	1-20
Grilles & SDL Lite Patterns	1-21
Section Details: 4" Scale	1-22

QUICK SPEC GUIDE

SPECIFICATION	STANDARD FEATURES	OPTIONAL FEATURES <i>Some options may require additional lead times. Consult your JELD-WEN Sales Representative.</i>
COLOR	<ul style="list-style-type: none"> White 	<ul style="list-style-type: none"> Desert Sand
SIZE	<ul style="list-style-type: none"> Width: 18" to 36" Height: 20" to 72" 15 sq. ft. maximum in single unit 	
FRAME	<ul style="list-style-type: none"> Integral Nail Fin 	<ul style="list-style-type: none"> Integral Dual Wall Flush Fin Pocket/Block Frame
GLAZING	<ul style="list-style-type: none"> Insulating Clear 	<ul style="list-style-type: none"> Low-E Obscure Bronze Gray Gluechip Rain Azurlite Laminated All glass available tempered <p><i>regional glass availabilities may differ</i></p>
HARDWARE	<ul style="list-style-type: none"> Regular Crank Handle E-Guard™ hardware 	<ul style="list-style-type: none"> Maximum Opening Hardware Coastal Package (regionally available)
HARDWARE COLOR	<ul style="list-style-type: none"> Color matched to extrusion 	
SCREENS	<ul style="list-style-type: none"> Fiberglass 	
SCREEN FRAME COLOR	<ul style="list-style-type: none"> Color matched to extrusion 	
GRILLES		<ul style="list-style-type: none"> 1" Contour GBG (grilles between the glass) 5/8" Flat GBG (grilles between the glass) 7/8", 1-1/8", 1-3/8", 2-1/8" SDL (simulated divided lite) profiles
JAMB DEPTH	<ul style="list-style-type: none"> 3-1/4" 	

Grille pattern to match window in packet and in elevations.



[WINDOWS](#) [DOORS](#) [STYLE & DESIGN](#) [SUPPORT](#) [FOR PROS](#)

Premium™ Vinyl (V-4500) Window: Casement



Explore the options

See your JELD-WEN Dealer to verify available interior-exterior combinations.
On-screen colors/finishes vary from actual products.

Grille Designs



Color Combinations
White / White



[See all options and features >](#)



Model Overview

PROJECT TYPE
New construction and replacement

MAINTENANCE LEVEL
Minimal

WARRANTY
Lifetime Warranty

COLORS & FINISHES
3 Interior Colors
5 Exterior Colors
1 Window Color Technology

SCREEN & TRIM OPTIONS
2 Insect Screens

FRAME OPTIONS
Block Frame/Replacement
Brickmould
Flush Fin
Integral Flat Casing
Integral Nailing Fin
Retrofit Brickmould Accessory

GLASS
Energy efficient, tinted, textured and protective.

DIVIDED LITES
Grilles between the glass.

HARDWARE
1 Lock Option
3 Handle Options in 7 finishes

SIMULATED DIVIDED LITES



Simulated Divided Lites

Add architectural interest to your windows with our divided lite options. These options include simulated divided lites (SDL) for an authentic look. They feature grilles that are permanently attached to both the interior and exterior glass (aluminum for clad exteriors, wood for wood exteriors), metal bars placed between the panes of insulating glass to provide design detail.