Sec. 12-2-8. - Commercial land use district.

The regulations in this section shall be applicable to the retail and downtown commercial and wholesale and light industry zoning districts: C-1, C-2A, C-2, R-C and C-3.

(A) Purpose of district. The commercial land use district is established for the purpose of providing areas of commercial development ranging from compact shopping areas to limited industrial/high intensity commercial uses. Conventional residential use is allowed as well as residential uses on upper floors above ground floor commercial or office uses and in other types of mixed use development. New development and redevelopment projects are strongly encouraged to follow the city's design standards and guidelines contained in section 12-2-82.

The C-1 zoning district's regulations are intended to provide for conveniently supplying the immediate needs of the community where the types of services rendered and the commodities sold are those which are needed frequently. The C-1 zoning district is intended to provide a transitional buffer between mixed-use neighborhood commercial areas and more intense commercial zoning. The downtown and retail commercial (C-2A and C-2) zoning districts' regulations are intended to provide for major commercial areas intended primarily for retail sales and service establishments oriented to a general community and/or regional market. The C-3 wholesale and light industry zoning district's regulations are intended to provide for general commercial services, wholesale distribution, storage and light fabrication.

The downtown retail commercial (C-2A) zoning district's regulations are intended to provide a mix of restaurants, retail sales, entertainment, and service establishments with an emphasis on pedestrian-oriented ground floor shops and market spaces.

The commercial retail (C-2) zoning district's regulations are intended to provide for major commercial areas intended primarily for retail sales and service establishments oriented to a general community and/or regional market.

The C-3 wholesale and light industry zoning district's regulations are intended to provide for general commercial services, wholesale distribution, storage and light fabrication.

(B) Uses permitted.

- (1) *C-1, retail commercial zoning district.* Any use permitted in the R-NC district and the following uses, with no outside storage or repair work permitted:
 - (a) Retail sales and services.
 - (b) Motels/hotels.
 - (c) Vending machine when as accessory to a business establishment and located on the same parcel of land as the business.
 - (d) Car washes.
 - (e) Movie theaters, except drive-in theaters.
 - (f) Open air sales of trees, plants and shrubs. The business shall include a permanent sales or office building (including restrooms) on the site.
 - (g) Pet shops with all uses inside the principal building.
 - (h) Parking lots and parking garages.
 - Pest extermination services.
 - (j) Animal hospitals and veterinary clinics with fully enclosed kennels and no outside runs or exercise areas.
 - (k) Business schools.
 - (I) Trade schools.

- (m) Accessory buildings and uses customarily incidental to the above uses.
- (2) C-2A, downtown retail commercial district. Any use permitted in the C-1 district with the exception of manufactured home parks. and Conditional Uses. The following uses with no outside storage or repair work permitted:
 - (a) Bars.
 - (b) Pool halls.
 - (c) Newspaper offices and printing firms.
 - (d) Marinas.
 - (e) Major public utility buildings and structures including radio and television broadcasting station.
 - (f) Amusement machine complex.
 - (g) Accessory buildings and uses customarily incidental to the above uses.
- (3) C-2, commercial district (retail). Any use permitted in the C-2A district and the following uses with no outside storage or repair work permitted:
 - (a) Cabinet shops and upholstery shops.
 - (b) Electric motor repair and rebuilding.
 - (c) Garages for the repair and overhauling of automobiles.
 - (d) Bowling alleys.
 - (e) Skating rinks.
 - (f) Other recreation or amusement places operated for profit.
 - (g) Sign shop.
 - (h) Accessory buildings and uses customarily incidental to the above uses.
- (4) C-3, commercial zoning district (wholesale and limited industry).
 - (a) Any use permitted in the C-2 district. Outside storage and work shall be permitted for those uses and the following uses, but shall be screened by an opaque fence or wall at least eight (8) feet high at installation. Vegetation shall also be used as a screen and shall provide seventy-five (75) percent opacity. The vegetative screen shall be located on the exterior of the required fence.
 - (b) Outside kennels, runs or exercise areas for animals subject to regulations in section 12-2-54.
 - (c) Growing and wholesale of retail sales of trees, shrubs and plants.
 - (d) Bakeries, wholesale.
 - (e) Ice cream factories and dairies.
 - (f) Quick-freeze plants and frozen food lockers.
 - (g) Boat sales and repair.
 - (h) Outdoor theaters.
 - (i) Industrial Research laboratories and pharmaceutical companies
 - (j) Truck sales and repair.
 - (k) Light metal fabrication and assembly.
 - (I) Contractors shops.

- (m) Adult entertainment establishments subject to the requirements of chapter 7-3 of this Code.
- (n) Industrial laundries and dry cleaners using combustible or flammable liquids or solvents with a flash point of one hundred ninety (190) degrees Fahrenheit or less which provide industrial type cleaning, including linen supply, rug and carpet cleaning, and diaper service.
- (o) Retail lumber and building materials.
- (p) Warehouses.
- (q) Plumbing and electrical shops.
- (r) New car and used car lots, including trucks which do not exceed five thousand (5,000) pounds.
- (s) Car rental agencies and storage, including trucks which do not exceed five thousand (5,000) pounds.
- (t) Pawnshops and secondhand stores.
- (u) Mini-storage warehouses.
- (v) Advanced manufacturing and/or processing operations provided that such use does not constitute a nuisance due to emission of dust, odor, gas, smoke, fumes, or noise.
- (w) Accessory buildings and uses customarily incidental to the above uses.
- (C) Regulations. All developments are required to comply with design standards and are strongly encouraged to follow design guidelines as established in section 12-2-82.

TABLE 12-2.7
REGULATIONS FOR THE COMMERCIAL ZONING DISTRICTS

Standards	C-1	C-2A	R-C, C-2 and C-3	
Minimum Yard Requirements (Minimum Building Setbacks)	There shall be no yard requirements, except that where any nonresidential use is contiguous to a residential zoning district there shall be a twenty-foot (20') yard unless the two (2) districts are separated by a public street, body of water, or similar manmade or natural buffer of equal width. Inside the C-2A District and Dense Business Area: There shall be a maximum allowed front yard setback of 10'.			
Maximum Building Height	No building shall exceed forty-five (45) feet in height at the property or setback lines. (See Note 1)	No building shall exceed one hundred (100) feet in height at the property or setback lines. (See Note 1)		
Lot Coverage Requirements (The maximum	Shall not exceed seventy-five (75) percent of the	Shall not exceed one hundred (100) percent of	Inside the dense business area: shall not exceed one	

occupied by all principal and accessory buildings up to one hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Maximum Density Multiple Family Dwellings Maximum Density Multiple Family Dwellings buildings up to one hundred (100) feet in height, lot coverage shall not exceed sixty-five (35) dwelling units per acre. for buildings up to one hundred (100) feet in height. For buildings over one hundred (100) in height, lot coverage shall not exceed ninety (90) percent (with the exception of the C-2A zoning district). Outside the dense business area: shall not exceed seventy-five (75) percent of the total site area for buildings up to one hundred (100) feet in height, lot coverage shall not exceed seventy-five (75) percent of the total site area for buildings up to one hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed seventy-five (75) percent of the total site area for buildings up to one hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed seventy-five (75) percent of the total site area for buildings up to one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100)	combined area	total site area for	the total site area	hundred (100)
principal and accessory buildings) Definition on the hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Definition of the coverage shall not exceed seventy-five (75) percent of the total site area for buildings up to one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Definition on the hundred (100) feet in height. For buildings over one hundred (100) in height, lot coverage shall not exceed ninety (90) percent. Definition on the hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed seventy-five (75) percent of the total site area for buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed seventy-five (75) percent of the total site area for buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed seventy-five (75) percent of the total site area for buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height				, , ,
accessory buildings) (100) feet in height. For buildings over one hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. (100) feet in height, lot coverage shall not exceed ninety (90) percent (with the exception of the C-2A zoning district). Outside the dense business area: shall not exceed seventy-five (75) percent of the total site area for buildings up to one hundred (100) feet in height. For buildings over one hundred (100) feet in height. Fo				·
buildings) height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Maximum Density Multiple Family Dwellings Maximum Density Multiple Family Dwellings height. For buildings over one hundred (100) in height, lot coverage shall not exceed ninety (90) percent (with the exception of the C-2A zoning district). Outside the dense business area: shall not exceed seventy-five (75) percent of the total site area for buildings up to one hundred (100) feet in height, lot coverage shall not exceed seventy-five (75) percent of the total site area for buildings over one hundred (100) feet in height. For buildin				_
buildings over one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Maximum Density Multiple Family Dwellings Duildings over one hundred (100) in height, lot coverage shall not exceed ninety (90) percent. Buildings over one hundred (100) in height, lot coverage shall not exceed ninety (90) percent (with the exception of the C-2A zoning district). Outside the dense business area: shall not exceed seventy-five (75) percent of the total site area for buildings up to one hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Inside the dense business area: One hundred thirty-five (135) dwelling units per acre. Outside the dense business area: One hundred thirty-five (135) dwelling units per acre. Outside the dense business area: Thirty-five (35) dwelling				·
one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Maximum Density Multiple Family Dwellings One hundred (100) in height, lot coverage shall not exceed ninety (90) percent. Iot coverage shall not exceed ninety (90) percent (with the exception of the C-2A zoning district). Outside the dense business area: shall not exceed seventy-five (75) percent of the total site area for buildings up to one hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Inside the dense business area: One hundred thirty-five (135) dwelling units per acre. Outside the dense business area: One hundred thirty-five (135) dwelling units per acre. Outside the dense business area: Thirty-five (35) dwelling	Dunam ₆ 37	_	_	
(100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Maximum Density Multiple Family Dwellings Maximum Density Multiple Family Dwellings (100) in height, lot coverage shall not exceed ninety (90) percent (with the exception of the C-2A zoning district). Outside the dense business area: shall not exceed seventy-five (75) percent of the total site area for buildings up to one hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Inside the dense business area: One hundred thirty-five (135) dwelling units per acre. Outside the dense business area: One hundred thirty-five (135) dwelling units per acre. Outside the dense business area: Thirty-five (35) dwelling		_	_	
height, lot coverage shall not exceed sixty-five (65) percent. Description of the C-2A coning district). Dutside the dense business area: shall not exceed seventy-five (75) percent of the total site area for buildings up to one hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Maximum Density Multiple Family Dwellings 35 dwelling units per acre. 135 dwelling units per acre. Outside the dense business area: One hundred thirty-five (135) dwelling units per acre. Outside the dense business area: Thirty-five (35) dwelling units five (35) dw				
coverage shall not exceed sixty-five (65) percent. Description of the coverage shall not exceed sixty-five (65) percent.		· · ·		
not exceed sixty- five (65) percent. ninety (90) percent. Dutside the dense business area: shall not exceed seventy- five (75) percent of the total site area for buildings up to one hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Maximum Density Multiple Family Dwellings Note the dense business area: One hundred thirty-five (135) dwelling units per acre. Outside the dense business area: Outside the dense business area: Thirty- five (35) dwelling			_	
five (65) percent. percent. percent. exception of the C-2A zoning district). Outside the dense business area: shall not exceed seventy-five (75) percent of the total site area for buildings up to one hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Maximum Density Multiple Family Dwellings 35 dwelling units per acre. 135 dwelling units per acre. Outside the dense business area: One hundred thirty-five (135) dwelling units per acre. Outside the dense business area: Thirty-five (35) dwelling		_		
Maximum Density Multiple Family Dwellings Maximum Density Multiple Family Dwellings Dutside the dense business area: shall not exceed seventy-five (75) percent of the total site area for buildings up to one hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Inside the dense business area: One hundred thirty-five (135) dwelling units per acre. Outside the dense business area: Thirty-five (35) dwelling		1		
Maximum Density Multiple Family Dwellings Maximum Density Multiple Family Dwellings Outside the dense business area: shall not exceed seventy-five (75) percent of the total site area for buildings up to one hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Inside the dense business area: One hundred thirty-five (135) dwelling units per acre. Outside the dense business area: Thirty-five (35) dwelling		iive (65) perceite.	percent	· .
business area: shall not exceed seventy-five (75) percent of the total site area for buildings up to one hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Maximum Density Multiple Family Dwellings 35 dwelling units per acre. 135 dwelling units per acre. Outside the dense business area: Thirty-five (35) dwelling				Zorning districty.
business area: shall not exceed seventy-five (75) percent of the total site area for buildings up to one hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Maximum Density Multiple Family Dwellings 35 dwelling units per acre. 135 dwelling units per acre. Outside the dense business area: Thirty-five (35) dwelling				Outside the dense
Maximum Density Multiple Family Dwellings Maximum Density Multiple Family Dwellings Maximum Density Multiple Family Dwellings An ont exceed seventy-five (75) percent of the total site area for buildings up to one hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Inside the dense business area: One hundred thirty-five (135) dwelling units per acre. Outside the dense business area: Thirty-five (35) dwelling				
five (75) percent of the total site area for buildings up to one hundred (100) feet in height. For buildings over one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Maximum Density Multiple Family Dwellings Inside the dense business area: One hundred thirty-five (135) dwelling units per acre. Outside the dense business area: Thirty-five (35) dwelling				
Maximum Density Multiple Family Dwellings				·
Maximum Density Multiple Family Dwellings Maximum Density Multiple Family Dwellings Maximum Density Multiple Family Dwellings				
Maximum Density Multiple Family Dwellings				
Maximum Density Multiple Family Dwellings Adverting a per acre. Meight. For buildings over one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Inside the dense business area: One hundred thirty-five (135) dwelling units per acre. Outside the dense business area: Thirty-five (35) dwelling				· · ·
Maximum Density Multiple Family Dwellings As dwelling units per acre. Maximum Density Multiple Family Dwellings Over one hundred (100) feet in height, lot coverage shall not exceed sixty-five (65) percent. Inside the dense business area: One hundred thirty-five (135) dwelling units per acre. Outside the dense business area: Thirty-five (35) dwelling				
Maximum Density Multiple Family Dwellings Maximum Density Multiple Density Multiple Family Dwellings Maximum Density Multiple Density Multiple Family Dwellings Maximum Density Multiple Den				
Maximum Density Multiple Family Dwellings As dwelling units per acre. Inside the dense business area: One hundred thirty-five (135) dwelling units per acre. Outside the dense business area: Thirty-five (35) dwelling				
Maximum Density Multiple Family Dwellings As dwelling units per acre. Maximum Density Multiple Family Dwellings As dwelling units per acre. Outside the dense business area: Thirty-five (35) dwelling				
Maximum Density Multiple Family Dwellings As dwelling units per acre. Maximum Density Multiple Family Dwellings				_
Maximum Density Multiple Family Dwellings .35 dwelling units per acre. Inside the dense business area: One hundred thirty-five (135) dwelling units per acre. Outside the dense business area: Thirty-five (35) dwelling				
Maximum Density Multiple Family Dwellings .35 dwelling units per acre. 135 dwelling units per acre. 135 dwelling units per acre. Outside the dense business area: One hundred thirty-five (135) dwelling units per acre. Outside the dense business area: Thirty-five (35) dwelling				F
Maximum Density Multiple Family Dwellings and Density Multiple State of the dense business area: Thirty-five (35) dwelling units per acre. A second of the dense business area: Thirty-five (35) dwelling units per acre.				Inside the dense
Maximum Density Multiple Family Dwellings .35 dwelling units per acre. 135 dwelling units per acre. Outside the dense business area: Thirty- five (35) dwelling				business area: One
Maximum Density Multiple Family Dwellings 35 dwelling units per acre. 135 dwelling units per acre. Outside the dense business area: Thirty-five (35) dwelling				hundred thirty-five
Density Multiple Family Dwellings 35 dwelling units per acre. 135 dwelling units per acre. Outside the dense business area: Thirty-five (35) dwelling				(135) dwelling units
Family Dwellings per acre. units per acre. Outside the dense business area: Thirty-five (35) dwelling		.35 dwelling units	135 dwelling	per acre.
business area: Thirty- five (35) dwelling				
five (35) dwelling	Family Dwellings			Outside the dense
five (35) dwelling				business area: Thirty-
				five (35) dwelling
				units per acre.

Note 1: Three (3) feet may be added to the height of the building for each foot the building elevation is stair-stepped or recessed back from the property or setback lines beginning at the height permitted up to a maximum height of one hundred fifty (150) feet.

- (D) Reserved.
- (E) Additional regulations. In addition to the regulations established above in section 12-2-8(C), all developments within the commercial zoning districts will be subject to, and must comply with, the following regulations:
 - Supplementary district regulations subject to regulations in sections 12-2-31 to 12-2-50.
 - Off-street parking subject to regulations in Chapter 12-3.
 - Signs subject to regulations in Chapter 12-4.
 - Tree/landscape regulations subject to regulations in Chapter 12-6.
 - Stormwater management and control of erosion, sedimentation and runoff subject to regulations in Chapter 12-9.
 - Alcoholic beverages regulations subject to Chapter 7-4 of this Code.

(Ord. No. 25-92, § 1, 7-23-92; Ord. No. 6-93, § 6, 3-25-93; Ord. No. 29-93, § 6, 11-18-93; Ord. No. 3-94, § 4, 1-13-94; Ord. No. 44-94, § 1, 10-13-94; Ord. No. 33-95, § 2 (Exhibit 1), 8-10-95; Ord. No. 40-99, § 8 2, 3, 10-14-99; Ord. No. 17-06, § 1, 7-27-06; Ord. No. 11-09, § 1, 4-9-09; Ord. No. 13-12, § 1, 6-14-12; Ord. No. 12-13, § 1, 5-9-13; Ord. No. 40-13, § 1, 11-14-13; Ord. No. 01-16, § 1, 1-14-16)