

# City of Pensacola

222 West Main Street Pensacola, FL 32502

# Legislation Details (With Text)

File #: 18-00304 **Version**: 1 **Name**:

Type: Legislative Action Item Status: Withdrawn
File created: 7/27/2018 In control: City Council

On agenda: 8/9/2018 Final action: Enactment date: Enactment #:

Title: PUBLIC HEARING: PROPOSED AMENDMENT TO THE LAND DEVELOPMENT CODE - CREATING

SECTION 12-2-25, PROVIDING FOR THE CRA URBAN DESIGN OVERLAY DISTRICT

**Sponsors:** P.C. Wu

Indexes:

Code sections:

Attachments: 1. Proposed Ordinance - CRA Uban Design Overlay District, 2. June 12 2018 Planning Board

Minutes, 3. Public Outreach and Input Opportunities, 4. Comment Responses & Draft Document -- Draft Comment Period, 5. Comment Responses -- Post Draft Comment Period, 6. Recommended Long Term Strategies -- DPZ CODESIGN, 7. Transportation Support Document -- Hall Planning &

Engineering, 8. Bicycle Measurements

DateVer.Action ByActionResult8/6/20181Agenda ConferenceWithdrawnPass

## LEGISLATIVE ACTION ITEM

**SPONSOR:** City Council Member P.C. Wu

**SUBJECT:** 

PUBLIC HEARING: PROPOSED AMENDMENT TO THE LAND DEVELOPMENT CODE - CREATING SECTION 12-2-25, PROVIDING FOR THE CRA URBAN DESIGN OVERLAY DISTRICT

### **RECOMMENDATION:**

That City Council conduct a public hearing to consider an amendment to the Land Development Code creating Section 12-2-25, providing for the CRA Urban Design Overlay District.

**HEARING REQUIRED:** Public

### **SUMMARY:**

The development of urban design standards has been identified as a key redevelopment project within each of the City of Pensacola's adopted community redevelopment plans. The City of Pensacola Community Redevelopment Agency (CRA) approved the FY17/18 CRA Work Plan on April 10, 2017, which authorized the development, adoption and codification of design standards for each of the City's three redevelopment areas. On October 9, 2017, the CRA authorized the CRA Chairperson to negotiate and execute a contract with DPZ CoDESIGN, the top-ranked firm selected in response to RFQ No. 17-043.

Under the contract with DPZ CoDESIGN, the project kicked-off in early January 2018. From February through April, an extensive public input process was launched which included a series of charrettes, public workshops, input sessions, presentations and a written comment period. For reference purposes, a full list of public outreach and input opportunities, as well as, comments received and corresponding responses are attached.

The final recommended document was released on May 31, 2018 and presented with recommended modifications to the Planning Board for consideration and public hearing on June 12, 2018. The Planning Board recommended adoption of the document and the recommended modifications presented at the meeting with the following modifications:

- a. Change the capital and base requirement for porch columns contained within Table 12-2-25.10, Façade Types from a "shall" to a "should" statement.
- b. Modify the language contained in Sec. 12-2-25(G)(h)(b)4.c.(2) regarding bicycle parking as follows to clarify reference to an adult-sized bicycle: Bicycle racks installed perpendicular to curbs shall allow for a minimum clearance of two (2) feet at the curb and six (6) feet of pedestrian way with a 56cm 22 to 26 inch bicycle properly locked to the rack.
- c. Change the vertical window requirement contained in Sec. 12-2-25(G)(j)(a)1, Windows and Glazing, from a "shall" to a "should" statement.
- d. Clarify the minimum landscape area requirements contained in Sec. 12-2-25(H)(b)(b), Landscape on Private Property, as it relates to minimum landscaping for single family detached and two-family attached buildings.
- e. Remove the requirement for street trees in front of galleries to be of a "columnar variety", as contained in Sec. 12-2-25(H)(d)(f)3, Street Trees in Public Right-of-Way.
- f. Establish an effective date of five (5) business days following adoption by City Council.

The project consultant, DPZ CODESIGN, recommends incorporation of all modifications recommended by Planning Board with the following exceptions:

- a. The vertical window requirement contained in Sec. 12-2-25(G), Windows and Glazing, should be retained as a "shall" statement and modified as follows: "Windows on frontages shall be <u>square or</u> vertical in proportion, with the exception of transoms and special windows."
- b. The language contained in Sec. 12-2-25(G)(h)(b)4.c.(2) regarding bicycle parking should be clarified as follows: Bicycle racks installed perpendicular to curbs shall allow for a minimum clearance of two (2) feet at the curb and six (6) feet of pedestrian way with a 56cm or 22in bicycle properly locked to the rack.


Further, the following clarifications and adjustments should be incorporated into the amendment:

- a. Review procedures contained within Sec. 12-2-25(E) should be clarified to provide additional detail for plan submittals as follows:
  - (A) *Procedure for Review*. All development regulated by this subsection shall be subject to the submission requirements contained within Sec. 12-12-5 (building permits) and Sec. 12-2-81 (development plan requirements), as applicable. In addition to the plan submission requirements listed in Sec. 12-12-5 and 12-2-81, drawings illustrating compliance with Sec. 12-2-25 (CRA)

Urban Design Overlay District) shall be provided. Plans shall include drawings or sketches with sufficient detail to show, as far as they relate to exterior appearance, the architectural design of the building (both before and after the proposed work is done in cases of altering, renovating, demolishing or razing a building or structure) including proposed materials, textures and colors, and the plat plan or site layout, including all site improvements or features such as walls, fences, walkways, terraces, landscaping, accessory buildings, paved areas, signs, lights, awnings, canopies, screening and other appurtenances. Façade and frontage yard types shall be specified along frontages in accordance with Table 12-2-25.10 (Façade Types) and Table 12-2-25.9 (Frontage Yard Types).

- b. Accessory building rear setbacks for single family residential buildings should be reduced from a minimum of five (5) feet to a minimum of three (3) feet to adhere to the underlying standard.
- c. Side and rear setbacks for single family detached and duplex developments on thirty-foot (30') lots should be reduced as follows:
  - a. Side setback reduction from five (5) feet to three (3) feet for single family detached and duplex buildings (Tables 12-2-25.3 and 12-2-25.4).
  - b. Rear setback reduction from 25-30' to 20' for single family detached and duplex buildings (Tables 12-2-25.3 and 12-2-25.4).

Table 12-2-25.3 -Single Family Detached and Two-Family Attached (Duplex) Residential Building Types- R-1AAA through R-1A




Lot Width (3) 3	0 ft. min.	Pedest	Not Permitted
		rian	
		Foreco	
		urt	
Lot Coverage 5	0% max.	Vehicul	Not Permitted
		ar	
		Foreco	
		urt	
uilding eight (max.)		Facade Types	
Principal Buildiß	5 ft.	Porch	Permitted
Accessory Buil@	4 ft.	Stoop	Not Permitted
Parking (min.)		Common Entry	Not
		·	Per
			mitt
			ed
f-street 1	/unit	Gallery	Not
		-	Per
			mitt
			ed
		Storefr	Not
		ont	Per
			mitt
			ed

(3) Lot width shall only be measured from the right-of-way line. Lot width at the building setbac

(4) Minimum side yard setback for thirty-foot (30') lots shall be three (3) feet measured from the

required per applicable Florida Building Code.

Table 12-2-25.4 -Single-Family Detached and Two-Family Attached (Duplex) Residential Building Types- R-1B through C -3



Setbacks - Principal Building (feet)			Setbacks	- Accessory Buildin	g (feet)
а	Front	8 min. / 20 max	а	Front	50 min.
b	Front, Seconda5 min.		b	Front, Second	la5 min.
С	Side (Interio	or)(4 <mark>5 min.</mark>	С	Side (Interior)	1 min.
d	Rear	25 min./20 min	d	Rear	5 <u>3</u> min.
Frontage (min.)			Frontage `	Yard Types	
	Primary	45% / 40% (lots	Standa rd		Permitted
			Shallo w		Permitted

Lot Occupation	Urban	No t Pe rmi tte
Lot Width (3) 30 ft. min.	Pedest rian Foreco urt	d Not Permitted
Lot Coverage 50% max.	Vehicul ar Foreco urt	Not Permitted
Building Height (max.)	Facade Types	•
Principal Buildi35 ft.	Porch	Permitted
Accessory Buil@4 ft.	Stoop	Not Permitted
Parking (min.)	Common Entry	No t Pe rmi tte d
Off-street 1/unit	Galler y	Not Per mitt ed
	Storef ront	Not Per mitt ed

See Section 12-2-25(G)(h)(b) for exceptions.

Lot width shall only be measured from the right-of-way line. Lot width at the building setback

Minimum side yard setback for thirty-foot (30') lots shall be three (3) feet measured from the per applicable Florida Building Code.

These modifications are intended to allow for greater living quarter proportions for thirty-foot (30') lots while maintaining traditional parking configurations including side and rear parking.

d. Single family detached and duplex façade type requirements should be clarified to provide that porches shall not be required, and stoops shall not be permitted as follows:

*Sec.* 12-2-25(G)(f)(b)2 - *Façade Types* 

- 2. Façade Types shall be selected and specified along frontages in accordance with Table 12-2-25.10.
  - a. Porches shall not be required for single family detached and two family (duplex).

Tables 12-2-25.3 and 12-2-25.4 - Form Standard Tables

Facade Types	
Porch	Permitted
Stoop	Not Permitted
Common Entry	Not Permitted
Gallery	Not Permitted
Storefront	Not Permitted

e. Porch and stoop façade types should be defined as follows:

*Sec. 12-2-25(J) - Definitions* 

**Porch** means a private façade type which is an open-air room appended to the mass of a building with a floor and roof but no walls on at least two sides.

**Stoop** means a private façade type wherein the façade is aligned close to the front property line with the first story elevated for privacy with an exterior stair and landing at the entrance. This type is suitable for ground-floor residential uses at short setbacks with townhouses and apartment buildings. Stoops may encroach into the setback.

f. Measurements for building entries should be clarified as follows:

Sec. 12-2-25(G)(f)(c)[Building Entries]

- 3. Residential building entries shall be restricted as follows:
  - a. Single family and multi-family residential buildings shall be raised above average <u>finished</u> grade, <u>measured at the front property line</u>, according to Façade Types defined in Table 12-2-25.10.
  - b. In no instance shall single-family and multi-family residential building entries be raised less than eighteen (18) inches above average <u>finished</u> grade.
  - c. Entry grade shall be measured from the average finished grade to the first finished floor.
- 6. Mixed-use and non-residential commercial building entries shall be at average sidewalk grade.

## Table 12-2-25.10 - Façade Types

A: Porch	
Entry Grade	Minimum 18 inches above average <u>finished</u> grade


Requirements	Required at the primary building
	entrance. • Porches shall be a
	minimum 6 feet in depth. • Porche:
	and related structures may project i
	front setbacks a maximum 10 feet.
	Porch openings shall be vertical in
	proportion. • Porches shall be a
	maximum 10 feet in height. Columr shall have a minimum diameter of s
	(6) inches, and should have a capit
	and a base.

B: Stoop			
Entry Grade	Minimum 34 inches above average finished grade		
Requirements	A stoop is required at building entrances, projecting from the faca Wood is prohibited for stoop railing: Stoops and related structures may project into front setbacks up to 100		

C: Common Entry	
Entry Grade	Minimum 18 inches and a maximum 24 inches above average <u>finished</u>

Requirements	A single collective entry to a multifamily lobby is required at the prima building entrance.       Canopies and awnings are permitted to project interest front setbacks up to 100% of their depth.
--------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

D: Gallery		
Entry Grade	At <u>average</u> sidewalk grade	
Requirements	Where a gallery occurs, it is requialong a minimum of 80% of the frontage.     Encroachments are permitted according to Section 12-2 (E)(G).     Awnings are not permitted galleries.	



Sec. 12-2-25(J) [Definitions]

Building height, single-family residential, means the vertical distance of a building measured from the

average elevation of the finished grade to the bottom of the eave <u>for pitched roof buildings</u> or the bottom of the parapet for flat roof buildings.

g. Underlying land development regulations currently contained within the Land Development Code (LDC) were intended to apply within the overlay district. To meet the intent, clarifying language regarding Sec. 12-2-82(C)(8) should be incorporated as follows:

Section 12-2-25(G)(c) [Building Massing and Materials]

- (j) Material requirements contained within Sec. 12-2-82(C)(8) shall apply within the CRA Urban Design Overlay District.
- h. Material provisions for single family residential building types should be clarified as follows:
  - (i) Exterior wall mMaterials prohibited for all single family residential types shall include:
    - 1. Corrugated metal panels; and
    - 2. Exposed concrete block.
- i. Illustration 12-2-25.10 depicting driveway placement on 30-foot wide lots in Sec. 12-2-25(G)(h)(b)3.a. (3)(b) should be added as follows:
  - b. The outer edge of driveways shall be placed a maximum of two feet from either side property line. See Illustration 12-2-25.10 for a depiction of driveway placement for single family detached and two-family attached (duplex) buildings on 30' wide lots.

File #: 18-00304, Version: 1



**Illustration 12-2-25.10 - Driveway Locations Illustrated** 

- j. Measurements for trees on private property contained in Sec. 12-2-25(H)(b)(1)(1)a-b should be modified as follows:
  - 1. For single-family detached and two-family lots, one tree for every lot or for every 50 feet of linear frontage along the right-of-way shall be preserved or planted. Trees planted to meet this requirement shall be as follows:
    - a. Trees with a caliper equal to or less than four (4) inches shall be measured at six (6) inches off the ground. Measured at diameter breast height (DBH), as described in Sec. 12-6-2(E) (DBH).
    - b. Trees with a caliper greater than four (4) inches shall be measured at 12 inches off the ground.

Measuring at diameter breast height (DBH), rather than caliper, is consistent with existing City practices.

Following the Planning Board hearing, the proposed overlay district was presented to the Eastside Redevelopment Board (ERB) and the Westside Redevelopment Board (WRB) on July 11, 2018 and July 24, 2018, respectively. Both Boards recommended adoption of the overlay district, as recommended by the consultant.

In addition to the final overlay document and recommendations, DPZ CODESIGN and the firm's partner, Hall Planning & Engineering, have provided two documents containing recommended long term and transportation strategies for consideration. These documents are attached.

### PRIOR ACTION:

October 26, 2000 - City Council adopted the Urban Infill and Redevelopment Plan.

February 9, 2004 - City Council approved the Eastside Neighborhood Plan.

October 27, 2005 - City Council amended and readopted the Urban Infill and Redevelopment Plan, incorporating therein the Eastside Neighborhood Plan.

May 24, 2007 - City Council adopted the Westside Community Redevelopment Plan.

January 14, 2010 - City Council adopted the Urban Core Community Redevelopment Plan (2010).

April 10, 2017 - The CRA approved the FY17/18 CRA Work Plan which included the development of design standards for the Urban Core, Westside and Eastside community redevelopment areas.

July 26, 2017 - The CRA issued Request for Qualifications (RFQ) No. 17-043 for Urban Design and Code Amendment Services for a Community Redevelopment Area Overlay.

October 10, 2017 - The CRA approved the ranking of the selection committee for RFQ No. 17-043 and authorized the CRA Chair to negotiate and execute a contract with DPZ CoDESIGN.

May 7, 2018 - The CRA approved the FY18/19 CRA Work Plan which included the development of design standards for the Urban Core, Westside and Eastside community redevelopment areas.

June 12, 2018 - The Planning Board recommended adoption of the CRA Urban Design Overlay District with modifications.

July 11, 2018 - The Eastside Redevelopment Board recommended adoption of the CRA Urban Design Overlay District as recommended by the project consultant.

July 24, 2018 - The Westside Redevelopment Board recommended adoption of the CRA Urban Design Overlay District as recommended by the project consultant.

## **FUNDING:**

N/A

# **FINANCIAL IMPACT:**

N/A

# **STAFF CONTACT:**

Don Kraher, Council Executive M. Helen Gibson, AICP, CRA Administrator Victoria D'Angelo, Assistant CRA Administrator

#### **ATTACHMENTS:**

- 1) Proposed Ordinance CRA Urban Design Overlay District
- 2) Planning Board Minutes June 12, 2018
- 3) Public Outreach and Input Opportunities
- 4) Comment Responses & Draft Document Draft Comment Period
- 5) Comment Responses Post Draft Comment Period
- 6) Recommended Long Term Strategies DPZ CODESIGN
- 7) Transportation Support Document Hall Planning & Engineering

8) Bicycle Measurements

**PRESENTATION:** Yes